

CHAPTER 5

Adding it up: A Synthesis

5.1 The Big Picture

By providing services, ecosystems underpin and sustain the livelihoods of human beings, societies and economies. The links between ecosystem services and human well-being are complex, as the harnessing of services does not always benefit people, and sometimes has detrimental effects. This assessment resolved to examine these relationships by using measures of demand and supply. However, while a demand and supply approach may be able to identify some of the physical barriers to deriving benefits from ecosystems; it does not consistently capture the actual impediments to service delivery. Many situations exist in which supplies of a service are adequate, but human-well being demands remain unsatisfied. This is particularly true in a region such as the Gariep basin with a history of inequality.

We suggest that a useful synthesis of condition and trends of ecosystems and human well-being in the Gariep basin entails an examination, more specifically, of: 1) the ability of services to meet human well-being requirements, including the capacity of ecosystems to continue producing services, and 2) ecosystem service “hotspots” that either are key areas of service production, produce an irreplaceable (unique) service, or may be sources or locations of conflict or potential conflict in the near future.

Table 5.1 depicts four components of the ability of provisioning ecosystem services to fulfil the basic requirements for human well-being: adequate supplies, effective distribution, associated health impacts, and the capacity of ecosystems to continue providing the service. In some cases, it is indeed a shortage of the service that results in its failure to satisfy minimum human well-being requirements, for instance, when demand for fuelwood (perhaps because of population growth) outstrips the capacity of existing resources. In other cases, a service is not provided because distribution channels are ineffective or non-existent. Still in others, benefits from the service come at a cost to human welfare. This is illustrated by mineral services: while mining provides an ecosystem service of value to some members of the population by generating revenue and providing jobs, it involves processes that generate widespread negative effects on human health that, at least for some, outweigh its benefits. Pesticides used to improve the efficiency of food production may be harmful to humans and livestock, as may water works that alter natural ecosystem characteristics. Lastly, unsustainable use of ecosystem services can compromise the capacity of the ecosystem to continue to provide services, threatening the well-being of future generations.

The wealth of relationships between ecosystems and human well-being extends beyond the provisioning services. As a regulating service, good air quality is vital to health. As noted in Table 5.1, inappropriate energy policies that create externalities are a cause of decreasing air quality, and unacceptable levels of air quality present a threat to health. Preservation of cultural services is essential to good social relations, and where such services also have a utilitarian value, may also be essential to achieving the material minimum for well-being. Cultural services may also be important to health, security, and freedom and choice. In some cases, of course, ecosystem services may be replaceable or substitutable; that is, alternative options exist to meet a specific need. While water and air have no true substitute, food and energy come in different forms, and switching between them is often a crucial human well-being survival strategy.

Figures 5.1a – h depict ecosystem service and human well-being “hotspots,” which include: irreplaceable areas for food production (able to supply caloric and protein requirements) and biodiversity, areas in which water requirements are approaching available surface water supply, areas in which groundwater is high in salinity, municipalities in which one quarter or fewer of households have access to electricity from a local authority, municipalities with significant mining activity, and a synthesis map of several key services. Each service has a unique spatial pattern. The eastern and north-eastern regions of the basin, for example, are highly irreplaceable for the provision of food, while the eastern and south-eastern regions produce high levels of surface water runoff.

Table 5.1 Ability of provisioning services to meet human well-being requirements.


	Food	Water	Energy Services	Mineral Services
Adequate supplies?	Basin can supply 50 percent more dietary energy and three times more dietary protein than needed.	Limits of current supply may be reached by 2025; climate change could exacerbate scarcity.	Fuelwood becoming increasingly scarce; coal supplies adequate for long-term (300 years). Investment in other energy sources and technologies remains limited.	Supplies abundant, but exploitation depends on economic viability.
Effective distribution?	Social inequality and disparity in income distribution make some sources of protein and energy unaffordable.	Free basic water to be granted to all but infrastructure is lacking. Some 5 million people still obtain water from rivers and springs and 16 million lack sanitation; others cannot afford to pay for additional water.	About 70 percent of South Africa electrified; 50 percent in rural areas; three percent of Lesotho. Connections remain unaffordable to many residents; environmental and social externalities not reflected in costs.	Largest benefits rarely accrue to those who bear the cost of mining's externalities.
Implications for health?	Source of water and air pollution. Uses superfluous amounts of water, causes land degradation. Fertilizers, pesticides, GMOs may have negative effects on health.	Pollutants in untreated water lead to potentially lethal water-borne diseases; infrastructure alters natural characteristics of water bodies and their regulating processes.	Coal-burning produces high carbon dioxide and sulphur dioxide emissions, affecting air quality; contributes to greenhouse gas emissions.	By-products of mining affect air and water quality; extraction creates excessive ecological disturbance, which interferes with ecosystem function and biodiversity.
Capacity of ecosystems to continue producing service?	Will require technological inputs to improve production; land degradation and climate change pose potential problems.	Will require implementation of resource protection measures and ecological reserve.	High capacity to produce coal and renewable sources; supply of fuelwood will depend on sustainable management.	High capacity for 30-year timeline.

These regions also largely coincide with areas of high biodiversity value, and in some cases with areas with high water stress, mines, and poor air quality. These regions must therefore be planned for carefully in order to deliver ecosystem services without compromising ecosystem integrity. The high levels of agriculture and urbanisation are well-known concerns in the basin and have impacted on the ecological integrity of this region already (Fairbanks *et al.* 2000, Reyers *et al.* 2000) with most of the indigenous grasslands of the region under severe threat.

In addition, the arid western region of the basin could be a potential area of conflict. This is important to highlight, as it is not an area that receives a lot of attention in land use and biodiversity planning initiatives (with the exception of the Succulent Karoo). This area is a source of mineral wealth and contains several irreplaceable biodiversity sites due to the concentration of many endemic species. However, it is also vulnerable to water scarcity, surface and groundwater quality problems, and desertification, all of which may be amplified by climate change. The region is further hampered by its low level of development, exemplified by the low percentage of households connected to the electricity grid who must obtain energy from other sources. On the other hand, it is less vulnerable to threats associated with high levels of development. The coincidence of these features suggests that if this area is not well managed, the implications for biodiversity, ecosystem services, and human well-being in the area could be severe.

Key resource areas: hotspots at the local level

The community assessments revealed that the patchy distribution of ecosystem services enables local people to cope with and benefit from ecosystems in environments that, from a distance, appear extremely hostile. In the Great Fish River, people walk up to three kilometres to obtain fuelwood and construction materials in particular landscapes, known for their ability to provide these goods. These landscapes are often abandoned when they are over-harvested, to be revisited several years later once they have recovered. Inaccessible, distant, or policed areas serve as refugia for genetic stocks of highly preferred fuelwood and kraalwood species such as *Ptaeroxylon obliquum* (sneezewood) and *Olea europaea* var *africana* (wild olive). Certain medicinal plant products such as the bark of slow-growing trees are confined to the interiors of large forests, where they are protected by taboos that permit only ordained herbalists or healers to access them. Animal resources such as honey and wildlife are also restricted to the most remote and dense forest and woodland patches, where only the most skilful hunters can find them. Fountains and streams represent key resource areas for water security during times of crisis, for example when government authorities fail to maintain water infrastructure.






Figure 5.1 Ecosystem service and human well-being “hotspots:” Areas of the Gariep basin with high levels of service provision, unique services, or in which service provision or human well-being may be of concern. (a) Grid cells with irreplaceability values of more than 0.5 illustrating areas of importance to the provision of upper targets of protein, (b) calories, and (c) biodiversity conservation; (d) Quaternary catchments in which surface water requirements are 60 percent or more of availability; (e) Geohydrological units in which groundwater salinity (TDS) is above 2400mg/l; (f) Municipalities in which electricity is supplied by a local authority to 25 percent or fewer of households, and (g) with 2 or more producing mines or exploited deposits. (h) Synthesis map of key ecosystem service areas in Gariep basin for surface water (blue), cereal production (orange), protein production (brown), and biodiversity features with high irreplaceability (green; intensity of colour increases with irreplaceability value).

These water sources depend on the maintenance of even smaller critical areas such as wetlands and sacred pools. At an even finer resolution, individual plants, especially trees, are mapped in social memory as key collection points for honey, fruit, bark, or walking sticks, or for their spiritual value during critical times such as traditional ceremonies.

In the Richtersveld, the Gariep floodplain is a key resource area for fodder, shade, and water for people and livestock during the hot dry summer months. The Gariep also acts as a key source of drinking water all year round, and people use it to complement their protein by fishing or hunting for bushmeat. The Gariep floodplain is also a key resource area for tourism and mining, and is therefore a highly contested area with claims made by all the main stakeholders. Further inland, fountains and wells are hotspots for the survival of pastoralists, while minute quartzite outcrops are biodiversity hotspots for endemic succulents, but are also used by people and animals to escape the mid-day heat because they are slightly cooler than the surrounding landscape. In Sehlabathebe, small forest patches represent key resource areas for water and fuelwood, and small pockets of deeper soils in sheltered areas are reserved for vegetable production.

The overlap of areas with high levels of ecosystem services or areas of concern does not imply conflict, but the management of such areas will require an integrated, multiple-use approach in which different stakeholders are represented. True “hotspots” may exist where technical, institutional, or ideological barriers constrain the implementation of such an approach.

Implications for Decision-Making

Clearly, a number of response options exist to improve the benefit streams from ecosystem services to human societies without undermining ecosystem integrity. The political and social changes now occurring in southern Africa have far-reaching consequences for the way ecosystem services and human well-being are managed in the future; it is thus imperative to develop an increased understanding of the opportunities and constraints that are faced in choosing and implementing responses. The experience gained in this assessment indicates that the responses most likely to succeed in problems related to ecosystem services and human well-being will:

- 1) **Recognise complexity.** Ecosystem services and the people who depend on them comprise complex social-ecological systems. Narrow, single-issue or single-sector perspectives are likely to promote unwanted consequences in other sectors. Responses that take all relevant sectors into account when planning for any particular sector are more likely to avoid unexpected surprises, and are better prepared for those surprises when they come.
- 2) **Be implemented at the appropriate scale.** The scale of a response must match the scale of the process; often, a multi-scale response will be most effective. In particular, tenure systems, institutional arrangements, and the role of privatisation have important implications for the continued provision of ecosystem services. That said, there are no “silver bullet” tenure arrangements for managing ecosystem services, and each situation demands a unique, scale-appropriate response based on the knowledge of and consultation with stakeholders.
- 3) **Strive to create synergies.** Where trade-offs must be made, decision-makers must consider and make explicit the consequences of all options. Tools such as those described in this report can assist decision-makers in visualising, understanding, and communicating the issues at stake.
- 4) **Enable natural feedbacks.** The ability of ecosystems to continue providing ecosystem services depends on natural feedbacks that can be seriously compromised when they are dampened by inappropriate management, policies, and governance models. Perverse subsidies are among the most damaging of incentives that promote inappropriate behaviours, and their eradication is an urgent priority.
- 5) **Be made through an inclusive process.** Making information available and understandable to a wide range of affected stakeholders is key. Asymmetries in society give rise to asymmetries in information, education, and income availability. These are usually translated to asymmetric ecosystem service benefits, reduced adaptability, and responsiveness. Collectively these asymmetries increase the vulnerability of disenfranchised communities. However, benefits derived from ecosystem services are pervasive throughout society. The awareness of these benefits among different groups needs to be raised, and social and economic development need to incorporate these benefits.
- 6) **Acknowledge uncertainty and enhance adaptive capacity.** Given the complexity of social-ecological systems, it is seldom if ever possible to fully understand the structure or functioning of a system to be able to reliably predict the outcome of an intervention or response. In choosing responses, we must understand the limits to our knowledge, and we must expect the unexpected.
- 7) **Enhance the adaptive capacity** of managers and of ecosystems. Resilience is increased if managers have the capacity to learn from past responses and adapt accordingly. Resilience is also increased if the capacity of the ecosystem to deal with change is enhanced or maintained.
- 8) **Assess and re-assess** the feasibility of alternative responses. A change in one or more system drivers can lead to a previously unfeasible response becoming feasible, or vice versa. Care must be given to the prevailing social and cultural context in which a response is implemented, as this context also determines what is or is not feasible.

Decision-makers, whether they are ecosystem users, managers, or governments, must design responses that can meet the challenges noted in this assessment. Responses made in isolation are not likely to succeed, and coordination between those who choose and implement responses is needed across sectors and scales. This will require greater cross-communication between diverse actors, and the free flow of information between them. While our responses must acknowledge the limits to our knowledge about complex systems, we must strive to constantly improve upon it.

5.2 Epilogue: Lessons learned from a Multi-Scale Integrated Assessment Approach

One objective of this assessment was to determine whether such an exercise could actually be carried out, and whether the information and capacity to analyse it in the way proposed by the MA Conceptual Framework exist. In general, the Gariep basin is an information- and data-rich region of southern Africa. In particular, many South African and Lesotho government departments, NGOs, and industries have made large volumes of information freely available on the internet. This is promising, but major knowledge gaps remain, with the most obvious deficiencies relating to our understanding of ecological process and function, particularly the links between biodiversity pattern and process, and the relationships between ecology and hydrology. We are also plagued by the nearly universal difficulty of integrating the natural and social sciences, where great gains clearly stand to be made (Redman and Kinzig 2003). However, knowledge of ecosystems has evolved rapidly during recent decades, and will hopefully keep up the pace.

An important lesson learned from this process relates to the role of an assessment in plugging information gaps. Often at the conclusion of an assessment (and this one is no exception), as many new gaps are identified as old ones filled. While such a realisation may be frustrating, it can help to reframe questions and refocus research efforts so that they can address the most pressing concerns in light of these gaps.

Furthermore, there is inherent, and necessary, bias in assessments of this nature. Even an integrated assessment can only address a limited number of issues, a multiple-scale assessment can only include a limited number of levels, and most assessment designs can only accommodate a limited number of viewpoints, perspectives, and epistemologies. On balance, the larger SAfMA does span a reasonable breadth of issues, scales, and types of knowledge. Within the Gariep assessment itself, this “bridging” is done through the community studies, which reflect a rich body of local knowledge about ecosystems and their functioning.

5.3 Conclusion: Decisions for the Future

It is hoped that this assessment can provide guidance to decision-makers, by highlighting not only issues of ecosystem services and human well-being that deserve critical attention, but also the aspects of governance and management systems that can contribute to more resilient ecosystems and human well-being. Nothing may be more crucial to the sustainable management of ecosystem services than the free flow of information, and the enabling of individual as well as institutional flexibility, creativity, and innovation.

A more general but important achievement for this assessment process to strive for is to put the ecosystem services concept on the map. The significance of ecosystem services and their intimate relationship with human well-being is likely to increase in coming years and must be made tangible to a wider audience. Building capacity to understand, manage, and communicate the value of ecosystem services in the Gariep basin must target both new and established managers and scientists from all backgrounds to think in inter-disciplinary, multi-sectoral, multi-cultural, and cross-scale terms, so that effective decision-making can continue into the future.

LITERATURE CITED

- Acocks, J.P.H., 1988: Veld types of South Africa. *Memoirs of the Botanical Survey of South Africa*, 57.
- African Development Bank, 1993: *Economic integration in southern Africa*. Volume 3, Oxford Ltd, Oxford, Great Britain, 401 pp.
- AGAMA Energy (Pty) Ltd, 2003: *Employment Potential of Renewable Energy in South Africa*. Earthlife Africa and WWF Denmark, Johannesburg. 59 pp.
- Agriwriters, 2003: Available at http://www.agriwriters.org.za/farm_industries.htm.
- Ainslie, A., 2003: The Southern African Millennium Ecosystem Assessment local level assessment scoping report: The mid-Great Fish River area. Unpublished report, Rhodes University, Grahamstown. 45 pp.
- Ayensu, E., D.R. Claasen, M. Collins, A. Dearing, L. Fresco, M. Gadgil, H. Gitay, G. Glaser, C. Juma, J. Krebs, R. Lenton, J. Lubchenco, J.A. McNeely, H.A. Mooney, P. Pistrup-Andersen, M. Ramos, P. Raven, W.V. Reid, C. Samper, J. Sarukhán, P. Schei, J.G. Tundisi, R.T. Watson, and A.H. Azkri, 1999: International ecosystem assessment. *Science*, 286, 685-686.
- Balmford, A., A. Bruner, P. Cooper, R. Costanza, S. Farber, R.E. Green, M. Jenkins, P. Jefferies, V. Jessamy, J. Madden, K. Munro, N. Myers, S. Naeem, J. Paavola, M. Rayment, S. Rosendo, J. Roughgarden, K. Trumper and R.K. Turner, 2002: Economic Reasons for Conserving Wild Nature. *Science*, 297, 950-953.
- Balmford, A., 2003: Conservation planning in the real world: South Africa shows the way. *Trends in Ecology and Evolution* 18, 435-438.
- Barnes, K.N., D.J. Johnson, M.D. Anderson and P.B. Taylor, 2001: South Africa, In *Important Bird Areas in Africa and Associated Islands: Priority Sites for Conservation*, BirdLife Conservation Series No. 11, L.D.C. Fishpool and M.I. Evans (eds.), Pisces Publications and BirdLife International, Newbury and Cambridge, UK, 793-896.
- Barnes, K.N. (ed.), 2000: The Eskom Red Data Book of Birds of South Africa, Lesotho and Swaziland. Birdlife South Africa, Johannesburg.
- Basson, M.S., P.H. van Niekerk and J.A. van Rooyen, 1997: *Overview of water resources and utilisation in South Africa*. DWAf report P RSA/00/0197, 72pp.
- Basson, J., 2003: Energy Policies and Practices. Pp. 33-47. In *Towards a Just South Africa: The Political Economy of Natural Resource Wealth*, D. Reed and M. de Wit (eds.), WWF Macroeconomics Programme Office, Washington D.C. and CSIR, Pretoria.
- Behr, J. and J.A. Groenewald, 1990: Commercial game utilization on South African farms. *Agrekon*, 29, 55-58.
- Berkes, F., J. Colding and C. Folke, 2000: Rediscovery of Traditional Ecological Knowledge as Adaptive Management. *Ecological Applications*, 10(5), 1251-1262.
- Berkes, F. and C. Folke, 2002: Back to the future: Ecosystem dynamics and local knowledge, In *Panarchy: Understanding Transformations in Human and Natural Systems*, L. Gunderson and C. S. Holling (eds.), Island Press, Washington D.C., 121-146.
- Beukes, E.P., 1990: Thoughts on development in the new South Africa. In: *Development, employment and the new South Africa*, Beukes, E.P., W.J. Davies, R.J.W. van der Kooy and L.A. van Wyk (eds), pp. 41 - 56.
- Biggs, R. and R.J. Scholes, 2002: Land-cover changes in South Africa 1911-1993. *South African Journal of Science*, 98, 420-424.
- Biggs, R., E. Bohensky, C. Fabricius, T. Lynam, A. Misselhorn, C. Musvoto, M. Mutale, B. Reyers, R.J. Scholes, S. Shikongo and A.S. van Jaarsveld, 2004: *Nature supporting people: The southern African Millennium Ecosystem Assessment*. CSIR, Pretoria, South Africa.

- Boonzaier, E., 1996: Local responses to conservation in the Richtersveld National Park, South Africa, *Biodiversity and Conservation*, 5, 307-314.
- Braune, E., Manager: Information Programmes, Department of Water Affairs and Forestry. Personal Communication.
- Breytenbach, M.C. and T.I. Fenyes, 2000: Maize and wheat production trends in South Africa in a deregulated environment. *Agrekon*, 39, 293-305.
- Brown, G.G., P. Reed and C.C. Harris, 2002: Testing a place-based theory for environmental evaluation: an Alaskan case study. *Applied Geography*, 22, 49-76.
- Brown, K., 2002: Water scarcity: forecasting the future with spotty data. *Science*, 297, 926-927.
- Central Statistical Service 1970-1993: Agricultural Census, CSIR, Pretoria.
- CGS, 2001: *Digital metallogenic map of the Republic of South Africa and the kingdoms of Lesotho and Swaziland*. Council for Geosciences, Pretoria, South Africa.
- CGS, 2002: *Poverty Alleviation Program - Potential mining projects South Africa, Lesotho and Swaziland*. Council for Geosciences, Pretoria, South Africa. Available at <http://www.geoscience.org.za/poverty>.
- Chamber of Mines, 2002: Annual Report 2002, Chamber of Mines, South Africa. Available at <http://www.bullion.org.za>.
- Chief Directorate: Department of Surveys and Mapping, 2003.
- Chiuta T.M., P. Johnson and R. Hirji, 2002: Water Resources and the Economy. In *Defining and Mainstreaming Environmental Sustainability in Water Resources Management in Southern Africa* Hirji, R., P. Johnson, P. Maro and T.M. Chiuta (eds.), SADC, IUCN, SARDC, World Bank: Maseru/Harare/Washington DC.
- Chown, S.L., B.J. van Rensburg, K.J. Gaston, A.S. Rodrigues and A.S. van Jaarsveld, 2003: Energy availability, species richness and human population size: conservation conflicts at a national scale. *Ecological Applications*, 13, 1233-1241.
- Christian, C.S. and G.A. Steward, 1968: Methodology of integrated surveys. In *Proceedings of the Toulouse conference on aerial and integrated studies*. UNESCO, Paris, 233-280.
- Christopher, A.J., 1982: *South Africa*. Longman Press, London.
- Chutter, F.M., R.W. Palmer and J.J. Walmsley, 1996: *Environmental Overview of the Orange River*. Orange River Development Project Replanning Study. DWAF report PD 00/00/5295, 193 pp.
- Chutter, F.M., 1998: *Research on the rapid biological assessment of water quality impacts in streams and rivers*. Report to the WRC, Environmentek CSIR, WRC Report 422/1/98.
- City of Johannesburg (COJ), 2001: *Surface Water Quality Summary for the Period December 1999 to November 2000*. CoJ, January 2001.
- COSATU/NUM, 2001: *COSATU/NUM initial submission on mineral development draft bill*, Submitted to the Department of Minerals and Energy on 30 March 2001, Pretoria, South Africa, 24 pp.
- Costanza, R., R. d'Arge, R. de Groot, S. Farber, M. Grasso, B. Hannon, K. Limburg, S. Naeem, R.V. O'Neill, J. Paruelo, R.G. Raskin, P. Sutton and M. van den Belt, 1997: The value of the world's ecosystem services and natural capital. *Nature*, 387, 253-260.
- Cowling, R.M. and C. Hilton-Taylor, 1994: Patterns of Plant Diversity and Endemism in South Africa: an Overview. In: *Botanical Diversity in Southern Africa*, Strelitzia 1, Huntley, B.J. (ed.), National Botanical Institute, Pretoria, pp 31-52.
- Cowling, R.M. and P.W. Roux (eds.), 1987: The Karoo biome: a preliminary synthesis. Part 2. Vegetation and history. *South African National Scientific Programmes Report* 142. CSIR, Pretoria.
- Cowling, R.M., K.J. Esler, and P.W. Rundel, 1999: Namaqualand, South Africa - an overview of a unique winter-rainfall desert ecosystem, *Plant Ecology*, 142, 3-21.

- Cowling, R.M., R.L. Pressey, M. Rouget, G.I.H. Kerley, A.T. Lombard, 2003a: A conservation plan for a global biodiversity hotspot - the Cape Floristic Region, South Africa. *Biological Conservation*, 112, 191-216.
- Cowling, R.M., A.T. Lombard, M. Rouget, G.I.H. Kerley, T. Wolf, R. Sims-Castley, A. Knight, J.H.J. Vlok, S.M. Pierce, A.F. Boshoff and S.L. Wilson, 2003b: *A conservation assessment for the Subtropical Thicket Biome*. TERU REPORT 43, Terrestrial Ecology Research Unit, University of Port Elizabeth, South Africa.
- CSIR, 2002: RSA Historic Landcover Dataset. Council for Scientific and Industrial Research, South Africa.
- Daily, G.C. (ed.), 1997: *Nature's services: societal dependence on natural systems*. Island Press, Washington DC, 392 pp.
- De Lange, A.O., van Averbeke, A, Sonandi, A, Lesoetsa, T.E., Witbooi, W and Mei, P., 1994: *Mid-Fish River Zonal Study: A Description and Analysis of the Soils and Climate and the Agricultural Land Use Systems*. The Agricultural and Rural Development Research Institute, University of Fort Hare, Alice, South Africa.
- De Villiers, P. 2003 : *Milk Producers Organisation* (MPO), personal communication. November 2003
- Dent, M.C., S.D. Lynch, and R.E. Schulze, 1987: *Mapping mean annual and other rainfall statistics over Southern Africa*, University of Natal, Pietermaritzburg.
- DACST, 1996: Foresight Synthesis Report: Dawn of the African Century. Department of Arts, Culture, Science and Technology, Pretoria, 93 pp.
- DEAT, 1999: National State of the Environment Report, Department of Environmental Affairs and Tourism, Pretoria, South Africa.
- DEAT, 2003: Memorandum on the Objects of the National Environmental Management: Air Quality Bill. Department of Environmental Affairs and Tourism, South Africa. Available at http://www.environment.gov.za/HotIssues/2003apr22/airQualityBill_22032003.html.
- Department of Water Affairs, 1986: *Management of the Water Resources of the Republic of South Africa*. Department of Water Affairs, Pretoria.
- Desanker, P., D. Kwesha and D. Gumbo, *in preparation*. *Ecosystem Services in the Zambezi River Basin*. Zimbabwe Forest Commission, Harare, Zimbabwe.
- Dickens, C.W.S. and P.M. Graham, 2002: The South African Scoring System (SASS) Version 5 Rapid Bioassessment Method for Rivers. *African Journal of Aquatic Science*, 27, 1- 10.
- DME, 2002: Department of Minerals and Energy Annual Report 2002, Department of Minerals and Energy, Pretoria, South Africa, 104 pp.
- DOE, 2002: *Strategic Plan for the Department of Education (2002-2004)*. Department of Education, South Africa.
- DOH, 2003: National HIV and Syphilis Antenatal Sero-Prevalence Survey in South Africa: 2002. Department of Health, Pretoria, 15 pp.
- Downes, D.R. 1996: Global trade, local economies, and the Biodiversity Convention, In *Biodiversity and the Law*, W.J. Snape and O.A. Houck (eds.), Island Press, Washington, D.C., 202-216.
- Drechsler, B., 2001: *South Africa CH5, Small-scale mining and sustainable development within the SADC region*, Mining, minerals and sustainable development in South Africa research Topic 1, Harare, Zimbabwe, 98-112 pp.
- Driver, A., P. Desmet, M. Rouget, R. Cowling and K. Maze, 2003: *Succulent Karoo Ecosystem Plan*, Biodiversity Component, Technical Report. Cape Conservation Unit, Report No CCU 1/03, Botanical Society of South Africa, Claremont, South Africa.
- Duke, J.S. and H.A. Mooney, 1999: Does global change increase the success of biological invaders? *Trends in Ecology and Evolution*, 14, 135-139.

- DWAF, 1996a: South African Water Quality Guidelines: Volume 1: Domestic Use, Second Edition. Department of Water Affairs and Forestry, Pretoria, South Africa, 214 pp.
- DWAF, 1996b: South African Water Quality Guidelines: Volume 7: Aquatic Ecosystems, Second Edition. Department of Water Affairs and Forestry, Pretoria, South Africa, 161 pp.
- DWAF, 1997a: White Paper on a National Water Policy for South Africa. Department of Water Affairs and Forestry, Pretoria. Available at <http://www.dwaf.gov.za/Documents/Policies/nwpwp.pdf>.
- DWAF, 1997b: *South Africa's National Forestry Action Plan*. September 1997. Department of Water Affairs and Forestry, Pretoria South Africa. Available at <http://www.dwaf.gov.za/Forestry/Forestry%20Policy/Nfap.htm>.
- DWAF, 1998: The National Water Act, No. 36 of 1998. Department of Water Affairs and Forestry, Pretoria, South Africa.
- DWAF, 1999: The Raw Water Pricing Strategy. Department of Water Affairs and Forestry, Pretoria South Africa.
- DWAF, 2000a: Economic Information System, Department of Water Affairs and Forestry, Pretoria South Africa.
- DWAF, 2000b: Policy and Strategy for Groundwater Quality Management in South Africa. Department of Water Affairs and Forestry, Pretoria, South Africa. 44 pp.
- DWAF, 2002a: *Proposed First Edition of the National Water Resources Strategy*, 59 pp. Department of Water Affairs and Forestry, Pretoria South Africa.
- DWAF, 2002b: Report No. P09000/00/0101. Middle Vaal Water Management Area: Water Resources Situation Assessment. Stewart Scott Consulting Engineers. Department of Water Affairs and Forestry, Pretoria South Africa.
- DWAF, 2003a: Hydrological Information System, Department of Water Affairs and Forestry, Pretoria South Africa [online] <http://www.dwaf.gov.za/hydrology/cgi-bin/his/cgihis.exe/station>.
- DWAF, 2003b: Working for Water Annual Report 2000/2001, Department of Water Affairs and Forestry, Pretoria South Africa [online] <http://www.dwaf.gov.za/wfw/AnnualReports/WFWANNUA.pdf>
- DWAF, 2003c: Water Use Charges for Government Water Schemes and Water Resource Management Charges, Department of Water Affairs and Forestry, Pretoria South Africa
- DWAF, 2003d: Trophic Status of South African Impoundments. National Eutrophication Monitoring Programme. Department of Water Affairs and Forestry, Pretoria South Africa [online] <http://www.dwaf.gov.za/iwqs/eutrophication/NEMP/default.htm>.
- DWAF, 2004: "A Decade of Delivery" Department of Water Affairs and Forestry, Pretoria South Africa [online] <http://www.dwaf.gov.za/Communications/Articles/Minister/2004/TENYEARSOFDELIVER%20ARTICLE.doc>.
- Eberhard, A. A., 1990: *Energy Consumption Patterns and Supply Problems in Underdeveloped Areas in South Africa*. Development South Africa, 7, 335-346.
- Eberhardt, R. and G. Pegram, 2000: *The water sector: A position paper*. Macroeconomics and Sustainable Development in Southern Africa. Development Bank of South Africa, Midrand, South Africa.
- Economic Advisory Unit of the Chamber of Mines, 2002: South African Mining Industry Fact Sheet 2002, Chamber of Mines, South Africa. Available at <http://www.bullion.org.za/MiningEconomics&Stats/Eco%20Pdf's/minfactsheetfinal-2002.pdf>.
- Ehrlich, P.R. and H.A. Mooney, 1983: Extinction, substitution and ecosystem services. *BioScience*, 33, 248-253.
- EIA, 2002: South Africa country analysis: In Brief, Energy Information Administration. Available at <http://www.eia.doe.gov/emeu/cabs/safrica.html>.

- Elias, R. and I. Taylor, 2001: *HIV/AIDS, The mining and minerals sector and sustainable development in Southern Africa*. Mining, minerals and sustainable development in South Africa, Johannesburg, South Africa, 110 pp.
- Erasmus, B.F.N., A.S. van Jaarsveld, S.L. Chown, M. Kshatriya and K.J. Wessels, 2002: Vulnerability of South African animal taxa to climate change. *Global Change Biology*, 8, 679-693.
- Erasmus, L. and A.S. van Jaarsveld, 2002: Exploring policy interventions for sustainable development in South Africa: A modelling approach. *South African Journal of Science*, 98, 3-8.
- ERI, 2001: *Preliminary Energy Outlook for South Africa*. Energy Research Institute, Department of Mechanical Engineering, University of Cape Town, Rondebosch, South Africa. 78pp.
- Eskom, 2003: Company Information. Available at <http://www.eskom.co.za>..
- ESRI, 1998: *Arc and Grid Command References*. Environmental Systems Research Institute, Redlands, California.
- Fabricius, C. 1997. The Impact of Land Use on Biodiversity in Xeric Succulent Thicket, South Africa. Ph.D Thesis, University of Cape Town, Cape Town, South Africa.
- Fabricius, C., M. Burger and P.A.R. Hockey, 2003: Comparing biodiversity between protected areas and adjacent rangeland in xeric succulent thicket, South Africa: arthropods and reptiles. *Journal of Applied Ecology*, 40, 392-403.
- Fairbanks, D.H.K., M.W. Thomson, D.E. Vink, T.S. Newby, H.M. van den Berg and D.A. Everard, 2000: The South African Land-cover Characteristics Database: a Synopsis of the Landscape. *South African Journal of Science*, 96, 69-82.
- Falkenmark, M. and C. Widstrand, 1992: *Population and Water Resources: A Delicate Balance*. Population Bulletin. Population Reference Bureau.
- Felix, M., 1991: Risking Their Lives in Ignorance: The Story of an asbestos-polluted community. In: *Going Green: People, politics and the environment in South Africa*, Cock, J. and E. Koch (eds.), Oxford University Press, Cape Town, South Africa. 36 pp.
- Foden, W., 2002: A demographic study of *Aloe dichotoma* in the Succulent Karoo: Are the effects of climate change already apparent? MSc. thesis, University of Cape Town, Cape Town, South Africa.
- Franklin, J.F. and R.T.T. Forman, 1987: Creating landscape patterns by forest cutting: ecological consequences and principles. *Landscape Ecology*, 1, 5-18.
- Freitag, S., A.S. van Jaarsveld and H.C. Biggs, 1997: Ranking priority biodiversity areas: an iterative conservation value-based approach. *Biological Conservation*, 82, 263-272.
- Friedmann, Y. and D. Daily (eds.), 2004: *Red data book of the mammals of South Africa: a conservation assessment*. CBSG Southern Africa, Conservation Breeding Specialist Group (SSC/IUCN), Endangered Wildlife Trust, South Africa.
- Gallopin, G.C., 2002: Planning for resilience: scenarios, surprises and branchpoints. In *Panarchy: Understanding Transformations in Human and Natural Systems*, L. Gunderson and C. S. Holling (eds.), Island Press, Washington D.C., 361-392.
- Gandar, M., 1994: *An investigation of prices, pricing criteria and distribution networks for fuelwood in selected areas of South Africa*, Biomass Initiative Report PFL-COM-01, Department of Mineral and Energy Affairs, Pretoria, South Africa, 68pp.
- Gauteng Nature Conservation, 2003. GIS Database.
- Geffen, N., 2004: *Why Rian Malan is wrong about AIDS*. Noseweek. February 2004.
- George, J. and J. van Staden, 2000: Intellectual property rights: plants and phytomedicines - past history, present scenario and future prospects in South Africa. *South African Journal of Science*, 96, 433-443.

- Godfrey, L., M. Claassen, C. Todd, V. Smakhtin, M. du Preez, and R. Stassen, 2002: *South Africa State of the Environment Report. Volume 1: Inland Waters*. Department of Environmental Affairs and Tourism, Pretoria, South Africa, 95 pp.
- Goldblatt, M., S. Gelb and G. Davies, 2002: *Macroeconomics and Sustainable Development in Southern Africa: Synthesis Report of South African Study*. Development Bank of South Africa. Midrand, South Africa, 88 pp.
- Granville, A., 2001: *Baseline survey of the mining and minerals sector, MMSD Research topic 6*, Mining, Minerals and Sustainable Development Southern Africa, Johannesburg, South Africa, 109pp.
- Hall, T.D. and J.V. Fenelon, 2004: The Futures of Indigenous Peoples: 9-11 and the Trajectory of Indigenous Survival and Resistance, *Journal of World Systems Research*, x(1):153-197.
- Harrison, J.A., 1992: The South African Bird Atlas Project: Five years of growth. *South African Journal of Science*, 88, 410-413.
- Harvey, P., 2003: *HIV/AIDS: What are the implications for humanitarian action? A Literature Review*. Humanitarian Policy Group, Overseas Development Institute, 75 pp.
- Haupt, C.J., 2001: *Water resources situation assessment: Groundwater resources of South Africa*. Department of Water Affairs and Forestry, Pretoria, South Africa. 21 pp.
- Henderson, L., 1998: Southern African plant invaders atlas (SAPIA). *Applied Plant Sciences*, 12, 31-32.
- Hendricks, H.H., 2003a: Semi-nomadic pastoralism and the conservation of biodiversity in the Richtersveld National Park. Unpublished manuscript, South African National Parks, Kimberley, and University of Cape Town, Cape Town, South Africa.
- Hendricks, H.H., 2003b: Scoping report on a baseline assessment of the relationships between ecosystems and human well-being in the Richtersveld National Park, Northern Cape, South Africa. Unpublished report, Rhodes University, Grahamstown, South Africa. 35 pp.
- Herbert, D., 2001: Museum Natural Science and the NRF: Crisis Time for Practitioners of Fundamental Biodiversity Science. *South African Journal of Science*, 97, 168-172.
- Herold, C.E., 1992: Umfula Wempilo Consulting. Personal Communication.
- Herold, C.E., A. Görgens, and H.R. van Vliet, 1992. The influence of atmosphere deposition on the Vaal Dam. In: *Proceedings of the Water Week Conference*, Pretoria, South Africa. 11pp.
- Herold, C.E. and J.J. Rademeyer, 2000: *Water utilisation in the Vaal River system: the current situation, influences and expected trends*. Paper presented at Vaal 2000 Conference. 13 pp.
- Heyns, P., 2004: *Achievements of the Orange-Senqu River Commission in Integrated Transboundary Water Resource management*. Paper presented at the General Assembly of the International Network of Basin Organisations, Martinique, French Antilles.
- Hilton-Taylor, C. and A. le Roux, 1989: Conservation status of the Fynbos and Karoo biomes. In B.J. Huntley (Ed.) *Biotic Diversity in Southern Africa: Concepts and Conservation*, Oxford University Press, Cape Town, 202-223.
- Hirschowitz, R, W. Sekwati and D. Budlender, 2001: *South Africa in transition: Selected findings from the October household survey of 1999 and changes that have occurred between 1995 and 1999/ Statistics South Africa*. Pretoria: Statistics South Africa, pp 71.
- Hoadley, M., D. Limpitlaw, A. Weaver, 2002: *Volume 1. The report of the regional MMSD process*, Mining, minerals and sustainable development in South Africa, Johannesburg, South Africa, pp. 86.
- Hoffman, M.T., S.W. Todd, Z.M. Ntshona and S.D. Turner, 1999: *Land Degradation in South Africa*. National Botanical Institute, Cape Town, Available at <http://www.nbi.ac.za>.
- Hohls, B.C., M.J. Silberbauer, A.L. Kühn, P.L. Kempster and C.E. van Ginkel, 2002: *National water resource quality status report: inorganic chemical water quality of surface water resources in South Africa: the big picture*. Report No. N/0000/REQ0801. ISBN No. 0-621-32935-5. Institute for Water Quality Studies, Department of Water Affairs and Forestry, Pretoria, South Africa, pp 96.

- Holgate, C.J., 2002: *Rapid Assessment of the Upper Klip River Catchment*. Unpublished report. UNCHS, Nairobi Kenya.
- Holling, C.S., and L.H. Gunderson, 2002: Resilience and adaptive cycles. Pages 25-62 in L. H. Gunderson and C. S. Holling (eds.) *Panarchy: Understanding Transformations in Human and Natural Systems*, Island Press, Washington, D.C., USA.
- HSRC, 2004: *Food security in South Africa: Key policy issues for the medium term*. Human Sciences Research Council, Pretoria, South Africa.
- Hughes, D.A., 2001: Providing hydrological information and data analysis tools for determination of ecological instream flow requirements for South African rivers. *Journal of Hydrology*, 241, 140-151.
- Hughes, D.A. and P. Hannart, 2003: A desktop model used to provide an initial estimate of the ecological instream flow requirements of rivers in South Africa. *Journal of Hydrology*, 270, 167-181.
- Huntley, B., R. Siegfried and C. Sunter, 1989: *South African environments into the 21st century*. Human and Rousseau Tafelberg, Cape Town.
- IFAP, 2003: Available at <http://www.ifap.org/canberra/Meat/MF311.htm>.
- IPCC, 2001: *Climate Change 2001. Impacts, Adaptation and Vulnerability, Section, Hydrology and Water Resources*, Report of Working Group II of the Intergovernmental Panel on Climate Change. Available at <http://www.ipcc.ch>.
- Jurgens, N., 1985: Konvergent Evolution von Blatt- und Epidermismerkmalen bei blattsukkulenten Familien. *Berichte der Deutschen Botanischen Gesellschaft* 98: 425-446.
- Kahane, A., 1992: *The Mont Fleur Scenarios*. Deeper News. 7(1). Available at <http://www.gbn.org>.
- Kamara, A. and H. Sally, 2002: *Water for food, livelihoods and nature: simulations for policy dialogue in South Africa*. Third WARSFA/ Waternet Symposium; Arusha; October 2002.
- Kerley, G.I.H., R.L. Pressey, R.M. Cowling, A.E.F. Bosho, R. Sims-Castley, 2003: Options for the conservation of large and medium-sized mammals in the Cape Floristic Region. *Biological Conservation*, 112, 169-190.
- King, J. and D. Louw, 1998: Instream flow assessments for regulated rivers in South Africa using the Building Block Methodology. *Aquatic Ecosystem Health and Management*, 1, 109-124.
- Kirsten, M. and M. Sindane, 1994: The informal sector and small business: a South African case study. In: *Prospects for progress - critical choices for southern Africa*, M. Venter (ed.), 164-174.
- Klasen, S. 2002. *The costs and benefits of changing in-stream flow requirements (IFR) below the Phase 1 structures of the Lesotho Highlands Water Project*. Lesotho Highlands Development Authority, Maseru, Lesotho. Available at <http://www.sametsi.com/LHWP/ifr.htm>.
- Klein Goldewijk, K., 2001: Estimating global land use change over the past 300 years: The HYDE database. *Global Biogeochemical Cycles*, 15(2), 417-434.
- Koch, S.O., S.L. Chown, A.L.V. Davis, S. Endrödy-Younga and A.S. van Jaarsveld, 2000: Conservation strategies for poorly surveyed taxa: a dung beetle (Coleoptera, Scarabaeidae) case study from southern Africa. *Journal of Insect Conservation*, 4, 45-56.
- Kunin, W.E. and Lawton, J.H., 1996: Does biodiversity matter? Evaluating the case for conserving species. In *Biodiversity: A biology of numbers and difference*, K.J. Gaston (ed.), Chapter 11. Blackwell Science Ltd, Oxford, UK.
- Labonne, B., 2002: Commentary: Harnessing mining for poverty reduction especially in Africa, *Natural Resources Forum*, 26, 69-73.
- Lambin, E.F. and 25 others, 2001: The causes of land-use and land-cover change: moving beyond the myths. *Global Environmental Change*, 11, 261-169.
- Land Type Survey Staff, 1986: Landtypes of the map 2730 Vryheid. *Memoirs of Agricultural Natural Resources of South Africa*, 7.

- Langenhoven, M.L., P. Wolmarans, P.L. Jooste, M.A. Dhansay, and A.J.S. Benadé, 1995: Food consumption profile of the South African adult population. *South African Journal of Science*, 91, 523-528.
- Lawrence, C.J., R.J. Byard and P.J. Beavan, 1993: *Terrain Evaluation Manual*. HMSO, London.
- Lebesa, L.N., 2003: *Report prepared for the Gariep Basin Millennium Ecosystem Assessment as Lesotho's contribution on the Ecosystems in Lesotho*, Department of Agricultural Research, Maseru, Lesotho, 33 pp.
- Lesotho Bureau of Statistics/Ministry of Agriculture, 2001: *Lesotho Agricultural Situation Report (1996/9 - 1998/99)*, Maseru, Lesotho.
- Lesotho Bureau of Statistics, 2002a: Gross Domestic Product and Gross National Income (1982 - 2002), Bureau of Statistics, Maseru, Lesotho. Available at <http://www.bos.gov.ls>.
- Lesotho Bureau of Statistics, 2002b: *Lesotho Demographic Survey, 2001*. Vol. 1, Bureau of Statistics, Maseru, Lesotho. Available at <http://www.bos.gov.ls>.
- Lesotho Department of Energy, 2002: *Energy Policy Framework for Lesotho*. Maseru, Lesotho.
- Lesotho Government, National Environment Secretariat 2000: *Biological Diversity in Lesotho: a Country Study*. Maseru, Lesotho.
- Lesotho Meteorological Services, 2000: *National report on Climate Change*. Ministry of Natural Resources, Lesotho Government, Maseru, Lesotho.
- Lesotho Vulnerability Assessment Committee/SADC FANR Vulnerability Assessment Committee, 2002: *Lesotho Emergency Food Security Assessment Report*. Maseru, Lesotho.
- Lombard, A. T., R. M. Cowling, R. L. Pressey and P. J. Mustart, 1997: Reserve selection in a species-rich and fragmented landscape on the Agulhas Plain, South Africa. *Conservation Biology*, 11, 1101-1116.
- Loreau, M., S. Naeem and P. Inchausti (eds.), 2002: *Biodiversity and Ecosystem Functioning: Synthesis and Perspectives*. Oxford University Press, Oxford.
- Low, A.B. and A. Rebelo, 1996: *Map of the Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria.
- Lurie, M., 2000: Migration and AIDS in southern Africa: a review. *South African Journal of Science*, 96, 343-347.
- Lynam, T., A. Siteo, B. Reichelt, R. Owen, R. Zolho, R. Cunliffe and I. Buerinofa. 2004. *Human well-being and ecosystem services: an assessment of their linkages in the Gorongosa - Marrumbeu region of Sofala Province, Mozambique to 2015*. University of Zimbabwe, Harare, Zimbabwe.
- Mackay, H., 2000: *Moving towards sustainability: The ecological Reserve and its role in implementation of South Africa's water policy*. Proceedings of the World Bank Water Week Conference, Washington, April 2000. Available at http://www.thewaterpage.com/aq_eco_main.htm.
- Mackay, H., 2003: Water policies and practices. In *Towards a Just South Africa: The Political Economy of Natural Resource Wealth*, D. Reed and M. de Wit (eds.), WWF Macroeconomics Programme Office, Washington D.C. and CSIR, Pretoria, 49-83.
- MacVicar, C.N., D.M. Scotney, T.E. Skinner, H.S. Niehaus and J.H. Loubser, 1974: A classification of land (climate, terrain form, soil) primarily for rainfed agriculture. *South African Journal of Agriculture Extensions*, 3, 21-24.
- Mail & Guardian, 2003: *South Africa 2014: Boom or Bust?* 12 Dec. 2003. Available at <http://archive.mg.co.za>.
- Makwinzha, T.P., P. Mwape, N. van Averbek, 2001: *South Africa's Mineral Industry General Review, Part One*, Department of Minerals and Energy, Mineral Economics Directorate (Minerals Bureau), Mineralia Centre, Pretoria, South Africa. 202 pp.
- Malan, R., 2003: *Apocalypse when?* Noseweek. December 2003/January 2004.

- Mander, M., D. Cox, J. Turpie and C. Breen, 2002: *Incorporating economic considerations into quantification, allocation and management of the environmental water reserve*. WRC Report No. 978/1/02. Water Research Commission, Pretoria. 80 pp.
- Maree, S., G. Bronner, C. Jackson and N. Bennett, 2003: The conservation of golden moles (Afrosoricida; Chrysochloridae) with emphasis on the status of *Neamblysomus julianae* in South Africa. *Afrotherian Conservation*, Newsletter of the IUCN/SSC Afrotheria Specialist Group, 2, 4-6.
- Margules, C. R. and R.L. Pressey, 2000: Systematic conservation planning. *Nature*, 405, 243-253.
- McAllister, 1998: *Grasslands - who needs them?* Available at <http://www.sawac.co.za/articles>.
- McCann, K.S., 2000: Review article: Global patterns in biodiversity. *Nature*, 405, 220-227.
- McGeogh, M., 2002: Insect Conservation in South Africa: an Overview. *African Entomology*, 10, 1-10.
- MDB, 2001: SA Explorer. Municipal Demarcation Board. Available at <http://www.demarcation.org.za/old/saexplorer/saexhome.html>.
- Metsi Consultants, 2002: *Lesotho Highlands Water Project Final Report: Summary of Main Findings for Phase I*. Development Report No. LHDA-678-F-001. 122 pp.
- Mkhabela, S., 2002: Farm size and soil loss: prospects for a sustainable agriculture in KwaZulu-Natal. *Agrekon*, 41: 135-146.
- Millennium Ecosystem Assessment, 2003: *Ecosystems and human well-being: a framework for assessment*. Island Press, Washington, D.C.
- Millennium Ecosystem Assessment, first review draft, 2004a: Chapter 5: Food. In: Responses Working Group Assessment Report.
- Millennium Ecosystem Assessment, first review draft, 2004b: Chapter 3: Analytical Approaches for Assessing Ecosystem Condition and Human Well-being. In: Condition and Trends Working Group Assessment Report.
- Milton S.J., R.I. Yeaton, W.R.J. Dean, and J.H.J. Vlok, 1997: Succulent Karoo. In *Vegetation of Southern Africa*. R.M. Cowling, D.M. Richardson, and S.M. Pierce (eds.), Cambridge University Press, Cambridge, 131-166.
- Mucina, L. and M.C. Rutherford, 2004: *Vegetation map of South Africa, Lesotho and Swaziland: an illustrated guide*. National Botanical Institute, Cape Town, South Africa.
- Mutemeri, N. and F.W. Peterson, 2002: Small-scale mining in South Africa: Past, present and future, *Natural Resources Forum*, 26, 286-292.
- Naeem, S., 2001: How changes in biodiversity may affect the provision of ecosystem services. In: *Managing Human Dominated Ecosystems*, Hollowell (ed.), Missouri Botanical Garden Press, St. Louis, 3-33.
- NDA, 1997: Food Security Policy for South Africa: A Discussion Document. Agricultural Policy Unit, Department of Agriculture and Land Affairs, Pretoria, South Africa. Available at <http://www.nda.agric.za/docs/Foodsecurity/foodsecurity.htm>.
- Neke, K. and M. du Plessis, 2004: The threat of transformation: Quantifying the vulnerability of grasslands in South Africa, *Conservation Biology*, (18)2, 466-477.
- Norton, B. and B. Hannon, 1997: Environmental values: a place-based approach. *Environmental Ethics*, 19(3), 227-245.
- Noss, R.F., 1990: Indicators for monitoring biodiversity: a hierarchical approach. *Conservation Biology*, 4, 355-364.
- Noss, R.F. and A.Y. Cooperrider, 1994: *Saving nature's legacy: protecting and restoring biodiversity*. Island Press, Washington D.C.
- Oryx Environmental and Newtown Landscape Architects, 2000: *An open space framework for the Klip Spruit River Corridor, its tributaries and the adjacent open land*. Southern Metropolitan Local Council, August 2000.

- Pahl-Wostl, C., H. Hoff, M. Meybeck and S. Sorooshian, 2002: The role of global change research for aquatic sciences. *Aquatic Sciences*, 64, iv-vi.
- Palmer, A.R. and A.M. Avis, 1994: *The description, mapping and evaluation of recent change in the contemporary vegetation patterns. Mid-Fish River Zonal Study*. Land and Agriculture Policy Centre, Pretoria, 54 pp.
- Peterson, G.D., G.S. Cumming and S.R. Carpenter, 2003: Scenario planning: A tool for conservation in an uncertain world. *Conservation Biology*, 17(2), 358-366.
- Pressey, R.L. and A.O. Nicholls, 1989: Application of a numerical algorithm to the selection of reserves in semi-arid New South Wales. *Biological Conservation*, 50, 264-278.
- Pressey, R.L., 1992: Nature conservation in rangelands: Lessons from research on reserve selection in New South Wales. *Rangelands Journal*, 14, 214-226.
- Pressey, R.L. and S.L. Tully, 1994: The cost of ad hoc reservation: A case study in western New South Wales. *Australian Journal of Ecology*, 19, 375-384.
- Pressey, R.L. and K.H. Taffs, 2001: Scheduling conservation action in production landscapes: priority areas in western New South Wales defined by irreplaceability and vulnerability to vegetation loss. *Biological Conservation*, 100, 355-376.
- Pressey, R.L., 1999: Application of irreplaceability analysis to planning and management problems. *Parks*, 9, 42-51.
- Pressey, R.L., R.M. Cowling and M. Rouget, 2003: Formulating conservation targets for biodiversity pattern and process in the Cape Floristic Region, South Africa. *Biological Conservation*, 112, 99-127.
- Preston, G., 2003: *Invasive Alien Plants and Protected Areas in South Africa*. Presentation to World Parks Congress, Durban, South Africa.
- Purdie, R.W., R. Blick and M.P. Bolton, 1986: Selection of a conservation reserve in the Mulga biogeographic region of south-western Queensland, Australia. *Biological Conservation*, 38, 369-384.
- Reader, J., 1998: *Africa: A Biography of the Continent*. Penguin Books, London. 803 pp.
- Redman, C.L. and A.P. Kinzig, 2003: Resilience of past landscapes: resilience theory, society and the *longue durée*. *Conservation Ecology*, 7(1), 14. Available at <http://www.consecol.org/vol7/iss1/art14>.
- Revenga, C., J. Brunner, N. Henninger, K. Kassem and R. Payne, 2000: *PAGE Freshwater Systems*. World Resources Institute, Washington D.C. 65 pp.
- Reyers, B., A.S. van Jaarsveld and M. Krüger, 2000: Complementarity as a biodiversity indicator strategy. *Proceedings of the Royal Society, London (B)*, 267, 505-513.
- Reyers, B., D.H.K. Fairbanks, A.S. van Jaarsveld and M. Thomson, 2001: Priority Areas for Conserving South African Vegetation: a Coarse Filter Approach. *Diversity and Distributions*, 7, 77-96.
- Reyers, B., D.H.K. Fairbanks and A.S. van Jaarsveld, 2002: A multicriteria approach to reserve selection: addressing long-term biodiversity maintenance and land use planning. *Biodiversity and Conservation*, 11, 769-793.
- Reyers, B., 2004: Incorporating potential land-use threats into regional biodiversity evaluation and conservation area prioritisation. *Biological Conservation*, 118, 521-531.
- Rogers, K., 1998: Managing science/management partnerships: a challenge of adaptive management. *Conservation Ecology*, 2(2). Available at <http://www.consecol.org/vol2/iss2/resp1>.
- Rogers, K., D. Roux and H. Biggs, 2000: Challenges for catchment management agencies: lessons from bureaucracies, business and resource management. *Water SA*, 26(4), 505-511. Available at <http://www.wrc.org.za>.

- Rosen, S., J.L. Simon, D.M. Thea and J.R. Vincent, 2000: Care and treatment to extend the working lives of HIV-positive employees: calculating the benefits to business. *South African Journal of Science*, 96, 300-304.
- Rouget, M., R.M. Cowling, R.L. Pressey and D.M. Richardson, 2003: Identifying the spatial components of ecological and evolutionary processes for regional conservation planning in the Cape Floristic Region. *Diversity and Distributions*, 9, 191-210.
- Rutherford, M.C. and R.H. Westfall, 1986: Biomes of southern Africa - an objective categorization. *Memoirs of the Botanical Survey of South Africa*, 54, 1-98.
- Rutherford, M.C., G.F. Midgley, W.J. Bond, L.W. Powrie, R. Roberts and J. Allsopp, 1999: *Plant Biodiversity: Vulnerability and Adaptation Assessment: South African Country Study on Climate Change*. National Botanical Institute, Claremont, South Africa, pp. 1-59.
- Sampat, P., 2003: Scrapping Mining Dependence. In: *State of the World 2003*, L. Starke (ed.), Worldwatch Institute/W.W. Norton and Company, Inc., New York, 110-129.
- Schlemmer, L., 2002: *The distribution of South Africa's population, economy and water usage into the long-term future*. Mark Data (Pty) Ltd., Eric Hall and Associates report to the Department of Water Affairs and Forestry, Pretoria. 262 pp.
- Scholes, R.J. and R. Biggs, 2004: *Ecosystem services in southern Africa: A regional assessment*. CSIR, Pretoria, South Africa. 60 pp.
- Schoonraad, P.J. and P.A. Swanepoel, 2004: *Evaluation report: Pilot implementation of "Basa Mama" as method of igniting a coal fire*. Nova, Pretoria.
- Seckler, D., U. Amarasinghe, D. Molden, R. de Silva and R. Barker, 1998: *World Water Demand and Supply, 1990 to 2025: Scenarios and Issues*. Research Report No. 19, International Water Management Institute (IWMI), Colombo, Sri Lanka.
- Sellschop, J.P.F. and G.F.R. Ellis (eds.), 2003: The Royal Society of South Africa Workshop on the Pebble Bed Modulator Reactor. *Transactions of the Royal Society of South Africa*, 56, 1-150.
- Simon, K.S., and C.R. Townsend, 2003: Impacts of freshwater invaders at different levels of ecological organisation, with emphasis on salmonids and ecosystem consequences. *Freshwater Biology*, 48(6), 982-994.
- Shackleton C., I. Grundy and A.T. Williams, 2003a: Use of South Africa's woodlands for energy and construction. Woodlands for energy and construction - Shackleton *et al.* Natal University Press. ISBN: 1869140508.32pp.
- Shackleton, C.M., G. Guthrie, J. Keirungi and J. Stewart, 2003b: Fuelwood availability and use in the Richtersveld National Park, South Africa. *Koedoe*, 46, 1-8.
- Shackleton, C., C. Fabricius, A. Ainslie, G. Cundill, H. Hendricks, S. Matela, and N. Mhlanga, 2004. *Southern African Millennium Assessment: Gariep Basin Local Scale Assessments*. Rhodes University, Grahamstown, South Africa.
- Snaddon, C.D., M.J. Wishart and B.R. Davies, 1998: Some implications of inter-basin water transfers for river ecosystem functioning and water resources management in southern Africa. *Aquatic Ecosystem Health and Management*, 1, 159-182.
- Soulé, M.E. and M.A. Sanjayan, 1998: Conservation targets: do they help? *Science*, 279, 2060-2061.
- South Africa Government Online, 2002a: "Agriculture and Land Affairs." Available at <http://www.gov.za/yearbook/2002/agricland.htm>.
- South Africa Government Online, 2002b: "The Land and its People." Available at <http://www.gov.za/yearbook/2002/landpeople.htm>.
- South African Grain Information Services, 2002: Available at <http://www.sagis.org.za>.
- Stats SA, 1997: *Living in Gauteng: Selected findings of the 1995 October Household Survey*. Statistics South Africa, Pretoria. Available at [http://www.statssa.gov.za/Products/Publications/LivingIn\(AllFiles\)/Living%20in%20Gauteng.pdf](http://www.statssa.gov.za/Products/Publications/LivingIn(AllFiles)/Living%20in%20Gauteng.pdf)

- Stats SA, 2001: Human Development Index - 1980, 1991 and 1996, Statistics South Africa, Pretoria, 27pp.
- Stats SA, 2002: Report on the survey of large- and small-scale agriculture. Statistics South Africa, Pretoria.
- Stats SA, 2003: Census 2001. Statistics South Africa, Pretoria. Available at <http://www.statssa.gov.za/SpecialProjects/Census2001/Census2001.htm>.
- Stewart, J., 2003: *Fuelwood in the lower Gariep Basin: the current situation and potential futures*. Honours dissertation, Rhodes University, Grahamstown. 33 pp.
- Stiglitz, J.E., 2003: *Globalization and its discontents*. WW Norton and Company, New York.
- Stokes, C.S., 2003: *Measuring Impacts of HIV/AIDS on Rural Livelihoods and Food Security*. Sustainable Development Department, Food and Agriculture Organization of the United Nations, Rome.
- Thompson, H., C.M. Stimie, E. Richters and S. Perret, 2001: *Policies, legislation and organizations related to water in South Africa, with special reference to the Olifants River basin*. Working Paper 18 (South Africa Working Paper No. 7). Columbo, Sri Lanka: International Water Management Institute.
- Thompson, M., 1996. A standard land-cover classification scheme for remote sensing applications in South Africa. *South African Journal of Science*, 92, 34-42.
- Topouzis, D., 2003: *Addressing the Impact of HIV/AIDS on Ministries of Agriculture: Focus on Eastern and Southern Africa*. Joint FAO/UNAIDS Publication. Food and Agriculture Organization of the United Nations, Rome.
- Tricarico, A., 2002: The Lesotho Highlands Water Project: Massive Dams for Massive Disasters. Reform the World Bank Campaign, Italy. Available at www.bankwatch.org/publications/issue_papers/2002/eib-ip-lesotho.pdf.
- Townsend, C.R., 2003: Individual, population, community and ecosystem consequences of a fish invader in New Zealand streams. *Conservation Biology*, 17, 38-47.
- Tucker, B. and B.R. Scott, 1992: *South Africa: Prospects for a successful transition*. Nedcor - Old Mutual. Juta and Co., Ltd., Kenwyn, South Africa.
- Turpie, J.K., B.J. Heydenrych and S.J. Lamberth, 2003: Economic value of terrestrial and marine biodiversity in the Cape Floristic Region: implications for defining effective and socially optimal conservation Strategies. *Biological Conservation*, 112, 233-251.
- Turton, A., 2003: *The hydropolitical dynamics of cooperation in Southern Africa: A strategic perspective on institutional development in international river basins*. African Water Issues Research Unit (AWIRU) paper, Pretoria. 20 pp.
- UNAIDS and WHO, 2002: *Aids Epidemic Update*. UNAIDS and WHO, Switzerland.
- UNCCD, 1994: *Elaboration of an International Convention to Combat Desertification in Countries Experiencing Serious Drought and/Or Desertification, Particularly in Africa*, United Nations Convention to Combat Desertification, pp. 1-58.
- UNDP, 2001: *Human development report 2001*, United Nations Development Programme, Oxford University Press, Oxford.
- UNDP, 2003: *Human Development Report 2003*, United Nations Development Programme. Available at <http://www.undp.org/hdr2003>.
- UNEP, 2000: Global Environmental Outlook 2000. Available at <http://www.unep.org/Geo2000/english/0058.htm>.
- UNPFA, 1991: Population, Resources and the Environment: The Critical Challenges. United Nations, New York.
- UNPFA, 1999: Six billion: A Time for Choices. The State of World Population 1999. United Nations, New York.

- Urban-Econ Development Economists, 2000: *Economic Information System*, study prepared for the Department of Water Affairs and Forestry, Urban-Econ, Pretoria.
- van den Bovenkamp, W., 2002: *Providing energy for development and protecting the climate: can South Africa combine these goals?* Unpublished MSc thesis, University of Utrecht. 81 pp.
- van Horen C., 1996: *Counting the social costs: Electricity and externalities in South Africa*. UCT Press
- van Jaarsveld, A.S. and S.L. Chown, 2001: Climate change and its impacts in South Africa. *Trends in Ecology and Evolution*, 16, 13-14.
- van Onselen, C., 1997: *New Babylon: Essays in the Social and Economic History of the Witwatersrand, 1886-1914*. Ravan Press, Johannesburg.
- van Riet, W.P., J. Claassen, T. van Rensburg, L. van Viegen and L. du Plessis, 1997: *Digital Environmental Potential Atlas for South Africa*. Department of Environmental Affairs and Tourism, Pretoria.
- van Tienhoven, A.M., 1999: *Status of Air Pollution in South Africa*. Stockholm Environment Institute report. Available at www.sei.se/rapidc/pdfs/AirPollAfrica.pdf.
- van Wyk, B. H.G.W.J.: Schweickerdt Herbarium, University of Pretoria. Personal communication.
- van Zyl, B.R. and R. Kruger, 1998: *Climatic Change and Variability in Southern Africa*. Oxford University Press, Cape Town.
- Versveld, D., D.C. le Maitre and R.A. Chapman, 1998: *Alien Invading plants and Water Resources in South Africa: A Preliminary Assessment*. Water Research Commission, Pretoria.
- Vink, N. and J. van Zyl, 1998: Black disempowerment in South African agriculture: a historical perspective. In: *The agricultural democratisation of South Africa*, J. Kirsten, J. van Zyl, and N. Vink (eds.), Africa Institute for Policy Analysis/Francolin Publishers, Stellenbosch, 61-70.
- Vink N., J.F. Kirsten, and J. van Zyl, 1998a: Favouritism in Agricultural Policy and Support Services. In: *The agricultural democratisation of South Africa*, J. Kirsten, J. van Zyl, and N. Vink (eds.), Africa Institute for Policy Analysis/Francolin Publishers, Stellenbosch, 71-82.
- Vink N., J.F. Kirsten, and J. van Zyl, 1998b: Synthesis and an agenda for the empowerment of black farmers. In: *The agricultural democratisation of South Africa*, J. Kirsten, J. van Zyl, and N. Vink (eds.), Africa Institute for Policy Analysis/Francolin Publishers, Stellenbosch, 245-252.
- Vogel, C. and J. Smith, 2002: The politics of scarcity: conceptualizing the current food security crisis in southern Africa, *South African Journal of Science*, 98(7/8), 315-317.
- Von Willert, D.J., B.M. Eller, M.J.A. Werger, E. Brinckmann, and H.D. Ihlenfeldt, 1992: *Life Strategies of Succulents in Deserts with Special Reference to the Namib Desert*, Cambridge University Press, London.
- Walmsley, J., M. Carden, C. Revenga, F. Sagona and M. Smith, 2001: Indicators of sustainable development for catchment management in South Africa: Review of indicators from around the world. *Water SA*, 27(4), 539-550. Available at <http://www.wrc.org.za>.
- Walmsley, J., 2002: *Overview: Sustainability indicators for catchment management in South Africa*. Water Resource Commission, Pretoria, 25 pp.
- Walters, C., 1997: Challenges in adaptive management of riparian and coastal ecosystems. *Conservation Ecology*, 1(2), 1. Available at <http://www.consecol.org/vol1/iss2/art1/index.html>.
- Watson, M., Senior Specialist Engineer, Sub-Directorate: Water Resource Planning Systems, Directorate: Systems Analysis, Department of Water Affairs and Forestry. Personal Communication.
- Webley, L.E., 1992: The history and archaeology of pastoralist and hunter-gatherer settlement in the north-western Cape, South Africa. PhD. Thesis, University of Cape Town, Cape Town.
- Wessels, K.J., B. Reyers and A.S. van Jaarsveld, 2003: Identification of potential conflict areas between land transformation and biodiversity conservation in eastern South Africa. *Agriculture, Environment and Ecosystems*, 95, 157-178.

- Westley, F., S.R. Carpenter, W.A. Brock, C.S. Holling, and L.H. Gunderson, 2002: Why systems of people and nature are not just social and ecological systems. In *Panarchy: Understanding transformations in human and natural systems*, L. Gunderson and C.S. Holling (eds.), Island Press, Washington D.C., 103-119.
- WHO, 2002a: *Basic Indicators 2002 Health Situation in the WHO African Region*. World Health Organization, Brazzaville.
- WHO, 2002b: *The World Health Report 2002 - Reducing Risks, Promoting Healthy Life*. World Health Organization, Switzerland.
- Williams, A.T. and B.J. Dickson, 1996: *Synthesis Report of the Biomass Initiative*. Chief Directorate Energy, Department of Mineral and Energy Affairs, Government of South Africa. 120pp.
- Williams, A.T. and C. Shackleton, 2002: Fuelwood use in South Africa: Where to in the 21st century? *Southern African Forest Journal*, 196, 1-7.
- World Bank, 1992: *World Development Report 1992: Development and the Environment*. Oxford University Press, New York.
- World Bank, 1996: *World Development Report*. Washington, D.C.
- World Commission on Dams, 2000: *Orange River Development Project, South Africa*. Case study prepared as an input to the World Commission on Dams, Cape Town. Available at <http://www.dams.org>.
- WRI, 2000: *World Resources 2000-2001: People and Ecosystems: The Fraying Web of Life*. World Resources Institute, Washington, D.C.
- WWF, 2001: *The Heat is on: Impacts of Climate Change on Plant Diversity in South Africa*. World Wide Fund for Nature, National Botanical Institute, Cape Town, pp 1-9.
- Wynberg, R, 2002: A Decade of Biodiversity Conservation and Use in South Africa: Tracking Progress from the Rio Earth Summit to the Johannesburg World Summit on Sustainable Development. *South African Journal of Science*, 98, 233-243.
- Zavaletta, E., 2000: The economic value of controlling an invasive shrub. *AMBIO*, 29, 462-467.
- Zondo, L., 2003: *Gauteng Urban Area Millennium Ecosystem Assessment*. Unpublished M.Sc. data. University of Natal, Pietermaritzburg, South Africa.